## Amendments to the Claims

7346222928

This listing of claims will replace all prior versions, and listings, of claims in the current application.

## Listing of Claims

(currently amended) A compound having Formula I: 1.

$$R^{1} \xrightarrow{N} \stackrel{Q}{\underset{R^{2}}{\bigvee}} \stackrel{X^{1}}{\underset{Q}{\bigvee}} \stackrel{X^{2}}{\underset{N}{\bigvee}} \stackrel{R^{3}}{\underset{M}{\bigvee}} Q$$

and pharmaceutically acceptable salts thereof, where:

X<sup>1</sup> and X<sup>2</sup> are hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, aryl, heteroaryl, aralkyl, cycloalkylalkyl, -(CH<sub>2</sub>)<sub>m</sub>-halogen, -(CH<sub>2</sub>)<sub>m</sub>-heteroaryl, -(CH<sub>2</sub>)<sub>m</sub>-SOR<sup>3</sup>, -(CH<sub>2</sub>)<sub>m</sub>-OCOR3, -(CH2)m-OSO2R3, -(CH2)m-OSO2NR4R5, -(CH2)m-NR6COR3, -(CH2)m- $NR^6SO_2R^3$ ,  $-(CH_2)_m-NR^3SO_2NR^4R^5$ ,  $-(CH_2)_mNR^4R^5$ ,  $-(CH_2)_mOR^3$ , -CN,  $-NO_2$ ,  $-CF_{(3-n)}H_n$ ,  $-(CH_2)_m-O(CH_2)_mR^3$ ,  $-(CH_2)_m-O(CH_2)_m-OR^3$ ,  $-(CH_2)_m-O(CH_2)_m-NR^4R^5$ ,  $-(CH_2)_mR^3$ ,  $-(CH_2)_mR^3$  $(CH_2)_mCO_2R^3$ ,  $-(CH_2)_mCOR^3$ ,  $-(CH_2)_mCONR^4R^5$ ,  $-(CH_2)_mNR^6COR^3$ , -

$$(CH_2)_mNR^6CONR^4R^5, -(CH_2)_mSO_2R^3, -(CH_2)_mSO_2NR^4R^5,$$

$$(CH_2)_m - N N - R^3$$

$$(CH_2)_p N - R^3$$

or are joined together to form a substituted or

unsubstituted three to eight member ring wherein 0 to 3 atoms of the ring are heteroatoms;

A is aryl, arylcycloalkyl, heteroaryl, heteroarylcycloalkyl, cycloalkyl, or cycloalkenyl;

M is arylene, heteroarylene, or cycloalkylene, heterocycloalkylene, cycloalkenylene er heterocycloalkenylene;

Q is -CONR<sup>4</sup>R<sup>5</sup>, aryl, heteroaryl, cycloalkyl, or cycloalkenyl, heterocycloalkyl, or heterocycloalkenyl;

R1 is hydrogen, alkyl, aryl, hotoroaryl or alkenyl;

 $R^2$  is hydrogen, alkyl, aryl, heteroaryl, alkenyl, cycloalkyl, cycloalkylalkyl, aralkyl, heteroaralkyl, heteroaralkyl, carboxy, -(CH<sub>2</sub>)<sub>m</sub>NR<sup>4</sup>R<sup>5</sup>, -(CH<sub>2</sub>)<sub>m</sub>OR<sup>3</sup>, -(CH<sub>2</sub>)<sub>m</sub>SR<sup>3</sup>, -(CH<sub>2</sub>)<sub>m</sub>CONR<sup>4</sup>R<sup>5</sup>, or -(CH<sub>2</sub>)<sub>m</sub>NR<sup>6</sup>COR<sup>3</sup>;

R<sup>3</sup> is hydrogen, alkyl, aryl, heteroaryl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, or aralkyl, or heteroarylalkyl;

R<sup>6</sup> is hydrogen, alkyl, aryl, <del>heteroaryl,</del> alkenyl, alkynyl, cycloalkyl, cycloalkyl, <u>or</u> aralkyl, <u>or heteroarylalkyl</u>;

R<sup>4</sup> and R<sup>5</sup> are each independently hydrogen, alkyl, aryl, heteroaryl, alkenyl, alkynyl,

cycloalkyl, cycloalkylalkyl, aralkyl, heteroarylalkyl,  $-C-C_1-C_6$ alkyl,

joined together to form a 3 to 8 member ring;

m is 0 to 8;

n is 0 to 2; and


p is 1 to 3;

with the proviso that when  $R^1$  and  $R^2$  are H, neither  $X^1$  nor  $X^2$  is H.

- 2. (currently amended) The compound of claim 1, wherein A is aryl or heteroaryl.
- 3. (currently amended) The compound of claim 2, wherein A is

wherein Y is CH or N; and R<sup>8</sup> is hydrogen, halo, or C<sub>1</sub>-C<sub>6</sub> alkyl.

4. (currently amended) The compound of claim 3, wherein A is




- (currently amended) The compound of claim 4, wherein A is 4-chlorophenyl er 5. 5-chloro 2 pyridyl.
- (currently amended) The compound of claim 1, wherein M is arylene or 6. heteroarylene.
- (currently amended) The compound of claim 6, wherein M is 7.

7346222928


wherein R9 is hydrogen, trifluoromethyl, halo, or C1-C6 alkyl.

8. (currently amended) The compound of claim 7, wherein M is



wherein R<sup>9</sup> is hydrogen, methyl, trifluoromethyl, Cl, Br, or F.

- 9. (currently amended) The compound of claim 8, wherein M is phenylene-1,4diyl, 2-fluoro-phenylene-1,4-diyl, 2-methyl-phenylene-1,4-diyl, or 2-trifluoromethylphenylene-1,4-diyl, or pyridine 2,5 diyl.
- 10. (currently amended) The compound of claim 1, wherein Q is aryl, heteroaryl or heterocycloalkyl.
- 11. (currently amended) The compound of claim 10, wherein Q is



H ; R<sup>14</sup> is hydrogen, halo, C<sub>1</sub>-C<sub>6</sub> alkyl, SO<sub>2</sub>NR<sup>12</sup>R<sup>13</sup>, SO<sub>2</sub>alkyl or exe; R<sup>16</sup> and R<sup>17</sup> are independently hydrogen, or C<sub>1</sub>-C<sub>6</sub> alkyl, or are joined-together to form a saturated or unsaturated 3 to 8 membered ring; and R<sup>10</sup> is hydrogen, halo, C<sub>1</sub>-C<sub>6</sub> alkyl, -SO<sub>2</sub>NR<sup>12</sup>R<sup>13</sup>, or -SO<sub>2</sub>alkyl, C<sub>1</sub>-C<sub>6</sub> alkyl, wherein R<sup>12</sup> and R<sup>13</sup> are independently hydrogen, or C<sub>1</sub>-C<sub>6</sub> alkyl, or are joined together to-form a saturated 5 to 7 membered ring.

12. (currently amended) The compound of claim 11, wherein Q is


Oct-14-2005 10:04am

NH, N (C<sub>1</sub>-C<sub>6</sub>alkyl) or N-C-C<sub>1</sub>-C<sub>6</sub>alkyl; R<sup>14</sup> is hydrogen, SO<sub>2</sub>NR<sup>12</sup>R<sup>13</sup>, SO<sub>2</sub>alkyl or exo; and R<sup>10</sup> is hydrogen, Cl, Br, F, -SO<sub>2</sub>NR<sup>12</sup>R<sup>13</sup>, or -SO<sub>2</sub>alkyl, wherein R<sup>12</sup> and R<sup>13</sup> are independently hydrogen, or C<sub>1</sub>-C<sub>6</sub> alkyl.

- 13. (currently amended) The compound of claim 11, wherein Q is 2-methanesulfonylphenyl, or 2-sulfamoylphenyl, 2-oxo-2H-pyridin-1-yl, or 2-oxo-piperidin 1-yl.
- 14. (original) The compound of claim 1, wherein  $X^1$  and  $X^2$  are hydrogen, alkyl,  $-(CH_2)_mOR^3$ , or alkenyl.
- 15. (original) The compound of claim 1, wherein  $X^1$  and  $X^2$  are alkyl,  $(CH_2)_mOR^3$ , alkenyl or  $-CH_2-NR^7R^7$  where  $R^7$  and  $R^7$  are independently hydrogen,  $-C_1$ -

$$\begin{array}{c} O \\ C_{6} \text{ alkyl} \\ -C-C_{1}-C_{6} \text{alkyl}, \\ -C-O-C_{1}-C_{6} \text{alkyl}, \\ -C-O-aralkyl, \\ -C-N-C_{1}-C_{6} \text{alkyl} \end{array}$$

- 16. (original) The compound of claim 1, wherein X<sup>1</sup> and X<sup>2</sup> are hydrogen, methyl, -CH<sub>2</sub>-OH, -CH<sub>2</sub>-NH<sub>2</sub>, -CH<sub>2</sub>-N(CH<sub>3</sub>)<sub>2</sub>, or -CH<sub>2</sub>-N(CH<sub>2</sub>CH<sub>3</sub>)<sub>2</sub>.
- 17. (original) The compound of claim 1, wherein X<sup>1</sup> and X<sup>2</sup> together form a cyclopropyl, cyclobutyl, cyclopentyl, cyclopexyl, or cyclopentenyl ring.
- 18. (currently amended) The compound of claim 1, wherein X<sup>1</sup> and X<sup>2</sup> together are



wherein R<sup>15</sup> and R<sup>15</sup> are independently hydrogen, -(CH<sub>2</sub>)<sub>1-6</sub>-OH, -(CH<sub>2</sub>)<sub>1-6</sub>-O-C<sub>1</sub>-C<sub>6</sub> alkyl, -(CH<sub>2</sub>)<sub>1-6</sub>-NH<sub>2</sub>, -COOH, or -OH; and E is O, S, or NR<sup>16</sup> wherein R<sup>16</sup> is hydrogen,

$$\begin{array}{c|c} & O & O \\ \hline -C_4-C_6 \text{ alkyl}, & -C-C_1-C_6 \text{alkyl}, & -C-O-C_1-C_6 \text{alkyl}, \\ \hline O & O & & O \\ \hline - & & & & \\ \hline -C-O-\text{aralkyl}, & -C-S-C_1-C_6 \text{alkyl}, \\ \hline -C-N-C_1-C_6 \text{alkyl}, & & H \end{array}$$

19. (currently amended) The compound of claim 1, wherein R<sup>2</sup> is alkyl, aryl, heteroaryl, cycloalkyl, cycloalkylalkyl, aralkyl, heteroaralkyl, heterocycloalkylalkyl, carboxy, -(CH<sub>2</sub>)<sub>m</sub>NR<sup>4</sup>R<sup>5</sup>, -(CH<sub>2</sub>)<sub>m</sub>OR<sup>3</sup>, -(CH<sub>2</sub>)<sub>m</sub>SR<sup>3</sup>, -(CH<sub>2</sub>)<sub>m</sub>CONR<sup>4</sup>R<sup>5</sup>, or - (CH<sub>2</sub>)<sub>m</sub>NR<sup>6</sup>COR<sup>3</sup>; wherein R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> as as described in claim 1.

(currently amended) The compound of claim 19, wherein R<sup>2</sup> is C<sub>1</sub>-C<sub>6</sub> alkyl, 20. phenyl, pyridyl, cyclopropyl, cyclopropylmethyl, cyclobutylmethyl, cyclopentylmethyl, cyclohexylmethyl, 2-cyclopropylethyl, 2-cyclopentylethyl, benzyl, 2-pyridinylmethyl, 3pyridinylmethyl, 4 pyridinylmethyl, 3-(2 pyridinyl) propyl, thionylmethyl, 2 morpholin-4-yl-othyl, 2-thiomorpholin 4-yl-othyl, -(CH<sub>2</sub>)<sub>1-3</sub>NH<sub>2</sub>, -(CH<sub>2</sub>)<sub>1-3</sub>N(C<sub>1</sub>-C<sub>6</sub>alkyl)<sub>2</sub>, -(CH<sub>2</sub>)<sub>1-3</sub> 3NHC1-C6alkyl, -(CH2)1-3OC1-C6alkyl, -(CH2)1-3SC1-C6alkyl, -(CH2)1-3CONH2, -(CH2)1-3  $CON(C_1-C_6alkyl)_2$ ,  $-(CH_2)_{1-3}CONHC_1-C_6alkyl$ , or  $-(CH_2)_{1-3}NHCOC_1-C_6alkyl$ .

7346222928

(currently amended) The compound of claim 1, wherein where A is 21.

wherein Y is CH or N; and R<sup>8</sup> is hydrogen, Cl, Br, or F;

M is

$$-\frac{\xi}{\xi} - \frac{\xi}{\xi} - \frac{\xi$$

Q is

$$R^{10}$$
 $R^{14}$ 
 $R$ 

NH, N (C<sub>1</sub>-C<sub>6</sub>alkyl) or N-C-C<sub>1</sub>-C<sub>6</sub>alkyl; R<sup>14</sup> is hydrogen, SO<sub>2</sub>NR<sup>12</sup>R<sup>13</sup>, SO<sub>2</sub>alkyl or exe; and R<sup>10</sup> is hydrogen, Cl, Br, F, -SO<sub>2</sub>NR<sup>12</sup>R<sup>13</sup>, or -SO<sub>2</sub>alkyl, where R<sup>12</sup> and R<sup>13</sup> are independently hydrogen, or C<sub>1</sub>-C<sub>6</sub> alkyl;

 $X_1$  and  $X_2$  are hydrogen, methyl, -CH<sub>2</sub>-OH, -CH<sub>2</sub>-NR<sup>7</sup>R<sup>7'</sup> where R<sup>7</sup> and R<sup>7'</sup> are independently hydrogen or C<sub>1</sub>-C<sub>6</sub> alkyl, or  $X_1$  and  $X_2$  together form a cyclopropyl, cyclobutyl, cyclopentyl, or cyclopentenyl ring or together are

$$R^{15}$$
 $R^{15}$ 
 $R^{15}$ 
 $R^{15}$ 
 $R^{15}$ 
 $R^{15}$ 
 $R^{15}$ 
 $R^{15}$ 
 $R^{15}$ 

wherein R<sup>15</sup> and R<sup>15</sup> are independently hydrogen, -(CH<sub>2</sub>)<sub>1-6</sub>-OH, -(CH<sub>2</sub>)<sub>1-6</sub>-O-C<sub>1</sub>-C<sub>6</sub> alkyl, -(CH2)1-6-NH2, -COOH, or -OH; and E is O, S, or NR<sup>16</sup>-where R<sup>16</sup> is R<sup>16</sup> is

7346222928

$$\begin{array}{c|c} O & O & O \\ \hline \parallel & -C-C_1-C_6 \text{alkyl}, \\ \hline -C-C_1-C_6 \text{alkyl}, \\ \hline -C-O-C_1-C_6 \text{alkyl}, \\ \hline \end{array}, \begin{array}{c} O & O \\ \hline \parallel & -C-S-C_1-C_6 \text{alkyl}, \\ \hline \end{array}$$

R<sup>1</sup> and R<sup>3</sup> are each independently hydrogen, or C<sub>1</sub>-C<sub>6</sub>alkyl; and R<sup>2</sup> is hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, phenyl, <del>pyridyl,</del> cyclopropyl, cyclopropylmethyl, cyclobutylmethyl, cyclopentylmethyl, cyclohexylmethyl, 2-cyclopropylethyl, 2cyclopentylethyl, benzyl, 2-pyridinylmethyl, 3-pyridinylmethyl, 4-pyridinylmethyl, 3 (2pyridinyl) propyl, thienylmethyl, 2-morpholin 4-yl ethyl, 2-thiomorpholin-4-yl ethyl, - $(CH_2)_{1-3}NH_2$ ,  $-(CH_2)_{1-3}N(C_1-C_6alkyl)_2$ ,  $-(CH_2)_{1-3}NHC_1-C_6alkyl$ ,  $-(CH_2)_{1-3}OC_1-C_6alkyl$  $(CH_2)_{1-3}SC1-C_6alkyl, -(CH_2)_{1-3}CONH_2, -(CH_2)_{1-3}CON(C_1-C_6alkyl)_2, -(CH_2)_{1-3}CONHC_1 C_6$ alkyl, or  $-(CH_2)_{1-3}$ NHCOC<sub>1</sub>- $C_6$ alkyl.

- 22. (currently amended) The compound of claim 1, wherein the compounds is 1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'methanesulfonyl-biphenyl-4-yl)-amide;
- 1-[3-(5-Chloro pyridin 2-yl)-ureido] cyclopropanecarboxylic acid (3-fluoro 2' sulfamoyl biphenyl 4-yl) amide;
- 2 [3-(5-Chloro-pyridin 2 yl) uroido] N-(3-fluoro-2' methanesulfonyl biphenyl 4-yl) 2methyl-propionamido;
- 2-[3-(4-Chloro-phenyl)-ureido]-N-(3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-2-methylpropionamide;
- 4 [3 (4-Chloro-phonyl) ureido] tetrahydro-thiopyran 4 carboxylie acid (3 fluoro-2'sulfamoyl-biphenyl-4-yl) amido;
- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoylbiphenyl-4-yl)-amide;
- 1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'methanesulfonyl-biphenyl-4-yl)-amide;
- 4-[3-(4-Chloro-phenyl)-uroido] tetrahydro pyran 4 carboxylic acid (3-fluoro 2' sulfamoyl biphonyl 4-yl) amide;

- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopentanecarboxylic acid (2'-methanesulfonylbiphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-cyclohexanecarboxylic acid (2'-methanesulfonylbiphenyl-4-yl)-amide;
- 2-[3-(4-Chloro-phenyl)-1-methyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)acetamide;

- 2-[3-(4-Chloro-phenyl)-1,3-dimethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-ureido]-3-hydroxy-2-hydroxymethyl-N-(2'-sulfamoyl-biphenyl-4-yl)-propionamide;
- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (2'-methanesulfonylbiphenyl-4-yl)-amide;
- 2-[3-(4-Chloro-phenyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-2-methylpropionamide;
- 2-[3-(4-Chloro-phenyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)acetamide:
- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopent-3-enecarboxylic acid (3-fluoro-2'-sulfamoylbiphenyl-4-yl)-amide; and
- 2-[3-(4-Chloro-phenyl)-3-methyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)acetamide;
- (1S,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- (1R,2S)-1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- (1R, 28) 1-[3 (4 Chloro-phonyl)-uroido] 2 hydroxymethyl cyclopropanocarboxylic acid [2 fluore 4-(2-exo-piperidin 1 yl)-phenyl]-amide;
- (1S, 2S)-1-[3-(4-Chloro-phenyl) ureide] 2 hydroxymethyl cyclopropanecarboxylic acid [2 fluoro 4-(2-oxo piperidin 1 yl) phenyl]-amide;
- 2-[3 (4-Chloro-phenyl) ureido] N [2-fluoro-4-(2 oxo piperidin 1 yl) phenyl] 2-methylpropionamide;

2-[3-(5-Chloro-pyridin-2-yl) ureide] 2-methyl-N [4 (2 oxo piperidin-1-yl) phenyl] <del>propionamide;</del>

- 2-f3 (4-Chloro phenyl) ureido]-2 methyl N [4-(2-exe piperidin 1-yl) phenyl]propionamide;
- 2-[3 (5-Chloro pyridin 2-yl)-uroido] N-[2-fluoro-4-(2-oxo piperidin 1-yl)-phenyl] 2methyl-propion amide;
- N [2 Fluoro 4-(2 oxo-piperidin-1-yl) phenyl] 2-[3-(4 fluoro-phenyl) uroido]-2-methylpropionamide;
- 1-[3 (4-Chloro phenyl) urcido] cyclopropenecarboxylic acid [2 fluoro 4-(2-oxopiperidin 1-yl)-phonyl] amide;
- 1-[3 (5 Chlore-pyridin 2 yl) uroido]-cyclopropanecarboxylic acid [4 (2 oxo-piperidin 1yl) phonyl]-amide;
- 1-[3-(4-Chloro-phenyl) ureido] eyelopropanecarboxylio acid [4-(2-oxo-piperidin-1-yl) phonyll amide;
- 1-[3-(5-Chloro-pyridin-2-yl) ureide]-eyelopropanecarboxylie acid [2-fluoro-4-(2-oxopiperidin 1-yl) phenyll amide;
- 1-[3 (4 Fluoro phenyl) ureido] eyelopropanecarboxylic acid [2-fluoro-4-(2-exopiperidin 1 yl) phonyl]-amide;
- 1-[3-(4-Chloro phonyl) uroido] cyclohexanocarboxylic acid [2 fluoro 4-(2 exe-piperidin-1-yl)-phenyl] amide;
- 1 [3 (5-Chloro-pyridin 2-yl) ureido]-cyclohexanocarboxylic acid [4-(2-oxo piperidin-1yl) phenyl]-amide;
- 1-[3 (4-Chloro-phenyl) ureido]-cyclohexaneearboxylio acid [4-(2-oxo-piperidin-1-yl) phenyll-amide;
- 1-[3-(5-Chloro-pyridin-2-yl) ureido] eyelohexanecarboxylic acid [2 fluoro 4 (2-exepiperidin 1-yl) phenyl]-amide;
- 1-[3-(4-Fluoro phonyl)-uroido] cyclohexanecarboxylic acid [2-fluoro 4 (2 exo-piperidin-1 yl) phenyl] amide;
- 2-[3 (4-Chloro-phenyl) urcido]-N-[2-fluoro 4-(2-oxo-piperidin-1-yl)-phenyl] 3-hydroxy-2-hydroxymethyl-prepionamide;

- 2-[3 (5-Chloro pyridin 2-yl)-ureido] 3-hydroxy-2-hydroxymethyl N-[4 (2-oxo-piperidin-1-yl)-phenyl]-propionamide;
- 2-[3-(4-Chloro phenyl)-ureido] 3 hydroxy 2-hydroxymethyl N [4-(2-oxo-piperidin 1-yl)-phenyl]-propionamide;
- 2-[3-(5-Chloro pyridin-2-yl) ureido] N-[2-fluoro-4 (2-oxo piperidin-1-yl) phenyl] 3-hydroxy 2-hydroxymethyl propionamide;
- N [2-Fluoro-4 (2 oxo-piperidin-1-yl) phenyl] 2-[3-(4-fluoro-phenyl) uroido]-3-hydroxy-2-hydroxymethyl-propionamide;
- 2-[3-(4-Chloro phenyl) ureido] N-[2-fluoro-4-(2-oxo piperidin-1-yl) phenyl] acetamide;
- 2 [3 (5 Chloro-pyridin 2-yl) urcido]-N [2 fluoro 4 (2-oxo-piperidin 1 yl) phenyl]-
- 2 [3 (5 Chloro-pyridin 2 yl) urcido] N [4 (2 exe-piperidin 1 yl) phenyl] acetamide;
- 2-[3-(4-Chloro-phenyl)-ureido] N [4-(2-oxo-piperidin 1-yl)-phenyl]-acetamide;
- 1-[3-(4 Chloro-phenyl)-ureide] eyelopropanecarboxylie acid [5-(2-methanesulfonyl-phenyl) pyridin-2-yl] amide;
- 1-[3 (4 Chloro-phonyl) ureide] cyclopropanecarboxylic acid [5-(2-sulfamoyl-phonyl) pyridin-2-yl] amide;
- 1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid [5-(2-methanesulfonyl-phenyl)-pyridin-2-yl]-amide;
- 1 [3-(5-Chloro-pyridin-2-yl) ureido]-cyclopropanocarboxylic acid [5 (2-sulfamoyl-phenyl)-pyridin 2-yl] amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (2'-methanesulfonyl-3-trifluoromethyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (2'-sulfamoyl-3-trifluoromethyl-biphenyl-4-yl)-amide;
- 1-[3-(5-Chloro-pyridin-2-yl)-uroido]-cyclopropanecarboxylic acid-(2'-methanesulfonyl-3-trifluoromethyl-biphenyl-4-yl) amide;
- 1 [3 (5 Chloro-pyridin 2-yl) ureido] cyclopropaneearboxylic acid (2'-sulfamoyl 3-trifluoromethyl-biphenyl 4-yl) amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (2'-methanesulfonyl-3-methyl-biphenyl-4-yl)-amide;

Oct-14-2005 10:05am

- 1-[3-(4-Chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-methyl-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 1-[3-(5-Chloro-pyridin-2-yl)-ureido]-cyclopropanecarboxylic acid (2'-methanesulfonyl-3-methyl-biphenyl-4-yl)-amide;
- 1-[3 (5 Chloro pyridin-2-yl) ureido] eyelopropanecarboxylic acid (3-methyl-2'-sulfamoyl-biphonyl-4-yl) amide;
- 2-[3 (5 Chloro-pyridin-2 yl) 1 methyl urcido]-N-(2' methanesulfonyl biphenyl 4 yl)acetamido:
- 2-[3-(4-Chloro-phenyl)-1-methyl-ureido]-N-(2'-sulfamoyl-biphenyl-4-yl)-acetamide;
- 2-[3 (5-Chloro-pyridin 2 yl) 1-methyl-ureido] N-(3-fluoro-2'-sulfamoyl-biphenyl 4 yl) acetamide:
- 2-[3-(4-Chloro-phenyl)-1-methyl-ureido]-N-(3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-acetamide:
- 2-[3-(5-Chloro-pyridin-2-yl)-1-methyl uroido] N-(3-fluoro-2'-methanesulfonyl-biphonyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-methyl-ureido]-N-(2'-methanesulfonyl-biphenyl-4-yl)acetamide;
- 1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (2'-sulfamoyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 3-[3-(4-Chloro phenyl) urcido]-pyrrolidine 3 carboxylic acid (3-fluoro 2'-methaneculfonyl-biphenyl 4-yl) amide;
- 3 [3 (4 Chloro-phenyl)-ureido] pyrrolidino 3 carboxylic acid (3 fluoro 2' sulfamoyl-biphonyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-3-hydroxymethyl-cyclobutanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;

- 1-[3-(4-Chloro-phenyl)-ureido]-3-hydroxymethyl-cyclobutanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-2-methoxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-2-methoxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 2-Aminomethyl-1-[3-(4-chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 2-Aminomethyl-1-[3-(4-chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 2-[3-(4-Chloro-phenyl)-ureido]-2-(3-fluoro-2'-methanesulfonyl-biphenyl-4-ylcarbamoyl)-cyclopropanecarboxylic acid;
- 2-[3-(4-Chloro-phenyl)-ureido]-2-(3-fluoro-2'-sulfamoyl-biphenyl-4-ylcarbamoyl)-cyclopropanecarboxylic acid;
- 3 [3 (4 Chloro-phonyl) uroido] 1 methyl-pyrrolidine 3 carboxylic acid (3-fluoro-2'-methanesulfonyl biphonyl 4-yl)-amide;
- 3 [3 (4 Chloro-phonyl) ureido] 1 methyl-pyrrolidine 3 carboxylio acid (3 fluoro-2'-sulfamoyl-biphonyl 4-yl) amide;
- 1-Acetyl-3-[3-(4-chloro-phenyl)-ureido] pyrrolidine 3-carboxylio-acid (3-fluoro-2'-methanesulfonyl-biphonyl 4 yl) amide;
- 1-Acetyl 3-[3-(4-chloro-phenyl) uroido] pyrrolidine-3-carboxylic acid (3-fluoro 2'-sulfamoyl-biphenyl-4-yl) amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-3-methoxymethyl-cyclobutanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-3-methoxymethyl-cyclobutanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 3-Aminomethyl-1-[3-(4-chloro-phenyl)-ureido]-cyclobutanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 3-Aminomethyl-1-[3-(4-chloro-phenyl)-ureido]-cyclobutanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;

- 3-[3-(4-Chloro-phenyl)-ureido]-3-(3-fluoro-2'-methanesulfonyl-biphenyl-4-ylcarbamoyl)-cyclobutanecarboxylic acid;
- 3-[3-(4-Chloro-phenyl)-ureido]-3-(3-fluoro-2'-sulfamoyl-biphenyl-4-ylcarbamoyl)-cyclobutanecarboxylic acid;

- 4 [3 (4 Chloro-phenyl) ureide] piperidine 4 carboxylic acid (3 fluoro 2' methanesulfonyl biphenyl-1-yl) amide;
- 4-[3-(4-Chloro-phenyl) uroido] piporidine-4-carboxylic acid (3 fluoro 2' sulfamoylbiphonyl 4-yl) amide;
- 4 [3 (4 Chloro-phonyl)-ureido] 1 methyl-piperidine 4-carboxylic acid (3-fluoro 2'-methanesulfonyl-biphenyl 4 yl)-amide;
- 4-[3-(4-Chloro-phenyl) ureido] 1-methyl-piperidine-4-carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 1 Acetyl 4 [3 (4 ehloro-phenyl) uroido] piperidine 4 earboxylic acid (3-fluoro-2' methanesulfonyl-biphenyl 4 yl) amide;
- 1-Acetyl-4-[3 (4 chlore-phenyl) ureide] piperidine 4 carboxylie acid (3 fluore 2' sulfamoyl-biphenyl-1-yl) amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-3,4-dihydroxy-cyclopentanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido]-3,4-dihydroxy-cyclopentanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 3-[3-(4-Chloro phonyl) ureido]-tetrahydro-furan 3 carboxylic acid (3 fluoro 2' methanesulfonyl biphonyl 4-yl)-amide;
- 3 [3 (4 Chloro-phenyl) ureide] tetrahydro-furan-3 carboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4 yl) amide;
- 3-[3-(4-Chloro-phenyl) uroido] totrahydro-thiophene-3-carboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 3 [3 (4-Chloro-phenyl)-uroido]-1-methyl pyrrolidino 3 carboxylic acid [2 fluoro 4 (2-oxo-piperidin 1 yl) phenyl] amide;
- 1-Acetyl-3 [3 (4 chloro-phenyl) urcido]-pyrrolidine-3-carboxylic acid [2 fluoro 4 (2-oxo-piperidin 1 yl) phenyl]-amide;

- 1-Acetyl-3 [3-(4-chloro phonyl)-uroido] azetidine-3-carboxylic acid (3-fluoro-2'methanesulfonyl-biphenyl 4 yl)-amide;
- 1-Acetyl 3 [3 (4-chloro-phenyl)-ureido] azetidine 3-carboxylic acid (3 fluoro-2'sulfamoyl biphenyl 4-yl) amide;
- 1-[3 (4-Chloro-phonyl)-1-methyl-ureide] 2 hydroxymethyl cyclopropanecarboxylic acid [2-fluoro-4 (2-exe-piperidin 1-yl) phenyl]-amide;

- 1-[3-(4-Chloro-phenyl)-1-methyl-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-amide;
- 1-[3-(4-Chloro-phenyl)-1-methyl-ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
- 3-[3-(4-Chloro-phenyl) ureide] tetrahydro-thiophene-3-carboxylic acid (3-fluoro-2'sulfamoyl-biphenyl 4-yl)-amide;
- 3-[3 (4 Chloro-phonyl) ureido]-1-methyl azetidino-3-carboxylio acid (3 fluoro-2'methanesulfonyl-biphenyl-4-yl) amide;
- 3-[3 (4-Chloro phonyl)-ureido] 1 mothyl-azetidino 3-carboxylic acid (3 fluoro-2'sulfamoyl-biphenyl-4 yl)-amide;
- 1-[3-(4-Chloro-phenyl)-ureido] 2 hydroxymethyl-eyelopropanecarboxylie-acid-[2-fluoro-4 (2 oxo piperidin 1 yl) phenyl] amide;
- 1-[3-(4-Chloro-phenyl) uroido]-2-methoxymethyl-cyclopropanecarboxylic acid [2fluoro-4-(2 oxo piperidin-1 yl) phenyl] amide;
- 3-Amino-2-aminomethyl-2-[3-(4-chloro-phenyl)-ureido]-N-(3-fluoro-2'-sulfamoylbiphenyl-4-yl)-propionamide;
- 3-Amino-2-aminomethyl-2-[3-(4-chloro-phenyl)-ureido]-N-(3-fluoro-2'methanesulfonyl-biphenyl-4-yl)-propionamide;
- 2-[3-(4-Chloro-phenyl)-ureido]-3-ethylamino-2-ethylaminomethyl-N-(3-fluoro-2'methanesulfonyl-biphenyl-4-yl)-propionamide;
- 2-[3-(4-Chloro-phenyl)-1-cyclopropylmethyl-ureido]-N-(3-fluoro-2'-sulfamoyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-cyclopropylmethyl-ureido]-N-[2-fluoro-4-(2-oxo-piperidin-1yl)-phenyl]-acetaminde;

- 2-[3-(5-Chloro-pyridin-2-yl)-1-cyclopropylmethyl-ureido]-N-(3-fluoro-2'methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-cyclopropyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3 (5 Chloro-pyridin-2-yl)-1-cyclopropylmethyl uroido] N (3-fluoro-2'-sulfamoylbiphenyl 4-yl) acetamide;
- 2-[3 (5-Chloro-pyridin-2-yl)-1-cyclopropylmethyl-ureide] N [2-fluoro-4-(2-oxopiperidin-1-yl)-phonyl] acetamide;
- 2-[3-(5-Chloro pyridin 2-yl) 1 cyclopropylmethyl ureido] N [2 fluoro 4 (2 oxo-2Hpyridin-1-yl) phonyl] acetamide;
- 2-[3-(4-Chloro-phenyl)-1-isopropyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-cyclopentyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-cyclopentylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-(2-cyclopropyl-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-phenyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)acetamide:
- 2 [3 (4 Chloro-phenyl) 1 thiophen 3 ylmethyl ureido] N (3 fluoro-2'-methanesulfonylbiphenyl-4-yl) acetamido;
- 2-[3-(4-Chloro-phonyl) 1-pyridin 3-ylmothyl-ureido] N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-cyclohexylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-(2-cyclopentyl-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;

- 2 [3 (4 Chloro-phenyl) 1 thiophen-2-ylmethyl-uroido] N-(3-fluoro 2' methanesulfonyl-biphenyl 4 yl) acetamide;
- 2 [3 (4-Chloro-phenyl) 1-pyridin-2-ylmethyl-urcide] N-(3-fluoro 2' methanesulfonyl-biphenyl-4-yl) acetamide;
- 2-[3-(4-Chloro-phenyl)-I-pyridin-4-ylmothyl-uroido]-N (3-fluoro-2' mothanesulfonyl-biphenyl-4-yl) acetamide;
- 2-[3-(4-Chloro-phenyl)-1-(2-ethoxy-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-(2-methylsulfanyl-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- {3-(4-Chloro-phenyl)-1-[(3-fluoro-2'-methanesulfonyl-biphenyl-4-ylcarbamoyl)-methyl]-ureido}-acetic acid;
- 2 [3 (4 Chloro phenyl) 1-(2-morpholin 4 yl ethyl) ureido] N (3 fluoro 2' mothanosulfonyl biphenyl 4 yl) acetamide;
- 2-[3-(4-Chloro-phonyl) 1-(2-thiomorpholin 4-yl-ethyl)-ureido] N (3-fluoro-2'-methanesulfonyl-biphenyl 4-yl) acetamido;
- 2-[3-(4-Chloro-phenyl)-1-phenethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-(2-methylsulfanyl-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-methylcarbamoylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-{3-(4-Chloro-phenyl)-1-{2-(4-methyl-piperazin-1-yl)-othyl}-ureido}-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[1-(2-Acetylamino-ethyl)-3-(4-chloro-phenyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-{3-(4-Chloro-phenyl)-1-(2,2-dimethyl-propyl)-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-acetamide;
- 3 [3 (4-Chlore-phenyl) ureide] 3 (3 fluore-2' methanesulfonyl biphonyl 4-ylcarbamoyl) pyrrelidine-1-carboxylic acid-benzyl oster;

2-[3 (4-Chloro-phenyl)-1-(2,2-dimethyl-propyl)-ureido] N-[2-fluoro-4-(2-oxo-piperidin-1-yl)-phenyl]-acetamide;

- 2-[3-(4-Chloro-phenyl)-1-cyclobutylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-cyclopropylmethyl-ureido]-N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-(2-methoxy-ethyl)-ureido]-N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-isobutyl-ureido]-N-(3-fluoro-2'-methanesulfonyl-biphenyl-4vl)-acetamide;
- 2-[3-(4-Chloro-phenyl)-1-(2-dimethylamino-ethyl)-ureido]-N-(3-fluoro-2'methanesulfonyl-biphenyl-4-yl)-acetamide;
- 2-[1-Benzyl-3-(4-chloro-phenyl)-ureido]-N-(3-fluoro-2' methanesulfonyl-biphenyl-4-yl)acetamide:
- 2-[3-(4-Chloro-phenyl)-1-(4-methoxy-benzyl) ureido]- N-(3-fluoro-2'-methanesulfonylbiphenyl-4-yl)-acetamide;
- (1R,28) (1-[3-(4-Chlore-phenyl)-ureide] 2-hydroxymethyl cyclopropancearboxylic acid [2 fluoro 4 (2 oxo 2H-pyridin 1 yl) phenyl]-amide;
- (18,28)-1-[3-(4-Chlore-phenyl)-ureide]-2-hydroxymethyl-cyclopropanecarboxylic acid [2-fluoro 4 (2-exo-2H-pyridin 1-yl) phenyl]-amide;
- 1-[3 (4 Chloro-phenyl) ureido] eyclopropanecarboxylio acid [2-fluoro 4 (2 exe 2Hpyridin-1-yl)-phenyl]-amide;
- 1-[3 (4-Chloro-phonyl) ureide] eyclopropanecarboxylic acid [2-fluoro 4 (5-methylpyrazol 1 yl)-phenyl]-amido;
- (1R,2S)-1-[3 (4-Chloro phenyl) ureido]-2-hydroxymethyl-cyclopropanecarboxylic acid [2 fluoro 4 (5-methyl-pyrazol-1-yl)-phenyl] amide;
- (1S,2S) 1 [3 (4-Chloro phenyl)-urcido] 2 hydroxymethyl cyclopropanecarboxylic acid [2-fluoro-4-(5-methyl-pyrazol-1-yl) phonyl]-amide;
- 2-[3 (4 Chloro-phenyl) 1 cyclopropylmethyl-ureide] N [2 fluoro-4-(5-methyl pyrazol-1yl) phonyl] acetamido;

- 1-[3-(4-Chloro-phonyl)-uroido]-cyclopropanocarboxylic acid [4 (3,5 dimethyl pyrazol 1-yl)-2 fluoro-phonyl]-amide;
  - 2-[3 (4 Chloro-phenyl)-1 cyclopropylmethyl-uroido] N [4 (3,5 dimethyl-pyrazol-l-yl) 2 fluoro-phenyl] acetamido;
- (1R,2S) 1 [3-(4-Chloro-phonyl) ureido] 2 hydroxymethyl cyclopropanecarboxylic acid (2-fluoro 4 pyrazol 1-yl-phonyl) amide;
  - (1S,2S) 1 [3 (4 Chloro-phenyl) urcido] 2 hydroxymethyl cyclopropancearboxylic acid (2 fluoro-4 pyrazol 1 yl phenyl) amide;
- (1R,2S)·1-[3 (4-Chloro phonyl) uroido]-2-hydroxymethyl eyelepropancearboxylic acid
  [2 fluoro 4 (3-methyl pyrazol 1 yl)-phonyl]-amide;
- (18,28) 1 [3-(4-Chloro-phenyl) ureido] 2-hydroxymethyl cyclopropanecarboxylic acid [2-fluoro-4-(3-methyl pyrazol-1-yl)-phenyl] amide;
- (1R,2S)-1-[3 (4 Chloro-phenyl)-uroido] 2 hydroxymethyl-cyclopropanecarboxylio-acid [2 fluoro-4 (2 methyl-imidazol-1 yl) phenyl]-amide;
  - (1S,2S) 1 [3 (4 Chloro phonyl) ureido] 2-hydroxymethyl eyelopropanecarboxylic acid [2 fluoro 4 (2 methyl imidazol-1-yl) phonyl] amide;
  - (1R,2S)-1-[3-(4-Chlore-phenyl)-ureido]-2 hydroxymethyl-eyelopropancearboxylic acid [4-(2,5-dihydro-pyrrole-1-carbonyl)-2 fluoro-phenyl]-amide;
  - (1S,2S) 1-[3-(4-Chloro-phenyl) ureido] 2-hydroxymethyl cyclopropancearboxylic acid [4-(2,5-dihydro-pyrrole-1-carbonyl) 2 fluoro-phenyl] amide;
- (1R,2S) 1-[3-(4-Chloro-phenyl)-ureido] 2 hydroxymethyl cyclopropanecarboxylic acid [2-fluoro 4 (pyrrolidine-1-carbonyl)-phenyl] amido;
  - (1S,2S)-1-[3-(4-Chloro phonyl) ureido]-2-hydroxymethyl-eyelopropanecarboxylic acid [2-fluoro 4-(pyrrolidine-1-carbonyl) phonyl] amide;
- (1R,2S)-2-(Acetylamino-methyl)-1-[3-(4-chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide;
  - (1S,2S)-2-(Acetylamino-methyl)-1-[3-(4-chloro-phenyl)-ureido]-cyclopropanecarboxylic acid (3-fluoro-2'-methanesulfonyl-biphenyl-4-yl)-amide; or a pharmaceutically acceptable salt thereof.
- 23. (currently amended) A process for the preparation of compounds of Formula I, wherein  $P^1$  is a protecting group,  $Y^1$  is a halogen and  $X^1$ ,  $X^2$ , A, M, and Q are as defined in Claim 1 above, comprising

(a) contacting an amino acid having Formula III with a reagent capable of forming a protecting group on the amino group of the amino acid to form a compound with Formula IV

(b) activating of the carboxylic acid of Formula IV and contacting it with an amino compound of the formula  $H_2N-M-Y^1$  to form a compound of Formula

(c) coupling the compound of Formula V with a compound having Q to form a compound of Formula VI

(d) removing the amino protecting group of the compound of Formula VI and contacting the resulting free amine with an isocyanate having A to form a compound of Formula I

- 24. (currently amended) A process for the preparation of compounds of Formula I, wherein  $P^1$  is a protecting group, and  $X^1$ ,  $X^2$ , A, M, and Q are as defined in Claim 1 above, comprising
  - (a) contacting an amino acid having Formula X with a reagent capable of forming a protecting group on the amino group of the amino acid to form a compound with Formula XI

(b) activating of the carboxylic acid of Formula XI and contacting it with an amino compound of the formula H<sub>2</sub>N-M-Q to form a compound of Formula XII

$$X^1$$
  $X^2$  OH 1) Activation  $X^1$   $X^2$   $X^2$ 

(c) removing the amino protecting group of the compound of Formula XII and contacting the resulting free amine with an isocyanate having A to form a compound of Formula I

- 25. (currently amended) A process for the preparation of compounds of Formula I, wherein A, M, Q and R<sup>2</sup> are as defined in Claim 1 above, comprising
  - (a) contacting a compound of Formula XVII with a bromoacetyl chloride of the Formula XX to form a compound of Formula XXI

From-

(b) contacting a compound of Formula XXII with an amine of Formula XXIII to form a compound of Formula XXIII

Br 
$$R^2$$
— $NH_2$   $NH$   $X_1$   $X_2$   $XXII$   $HN$   $X_1$   $X_2$   $XXII$   $X_2$   $XXII$   $X_3$   $XXII$   $X_4$   $X_5$   $XXII$   $X_5$   $XXII$   $X_7$   $X_8$ 

(c) contacting a compound of Formula XXIII with an isocyanate having A to form a compound of Formula I

- 26. (currently amended) A process for the preparation of compounds of Formula I, wherein P<sup>1</sup> and P<sup>2</sup> are independent protecting groups and A, M, and Q are as defined in Claim 1 above, comprising
  - (a) base catalyzed ring opening of a compound of Formula XXVIII to form a compound of Formula XXIX

(b) contacting a compound of Formula XXIX with a reagent capable of forming a protecting group on the hydroxyl groups followed by contacting the resulting intermediate with a reagent capable of selective deprotection of the carboxylic acid hydroxyl group to form a compound with Formula XXX

(c) activating the carboxylic acid of Formula XXX and contacting it with an amino compound of the formula XXXI to form a compound of Formula XXXII

Oct-14-2005 10:09am

From-

(d) removing the amino protecting group of the compound of Formula XXXII and contacting the resulting free amine with an isocyanate having A to from a compound of Formula I

- (currently amended) A process for the preparation of compounds of Formula I, 27. wherein Pland P2 are independent protecting groups and A, M, and Q are as defined in Claim 1 above, comprising
  - (a) contacting a compound of Formula XXXIII with a reagent capable of selectively forming a protecting group on the alcohol hydroxyl group to form a compound with Formula XXXIV

(b) activating the carboxylic acid of Formula XXXIV and contacting it with an amino compound of the formula XXXV to form a compound of Formula XXXVI

(c) removing the amino protecting group of the compound of Formula XXXVI and contacting the resulting free amine with an isocyanate having A to from a compound of Formula XXXVII

(d) removing the alcohol hydroxy protecting group of the compound of Formula XXXVII to from a compound of Formula I

28. (currently amended) A process for the preparation of compounds of Formula I, wherein  $P^1$  and  $P^2$  are independently protecting groups and A, M, and Q are as defined in Claim 1 above, comprising

(a) contacting a compound of Formula XXXVIII with acid to form a compound of Formula XXXIX

(b) contacting a compound of Formula XXXIX with a reagent capable of forming a protecting group on the amino moiety to form a compound of Formula XL

(c) contacting a compound of Formula XL with a reagent capable of forming a protecting group on the heterocycle nitrogen to form a compound of Formula XLI

(d) contacting a compound of Formula XLI with a reagent capable of removing the protecting group of the carboxylic acid to form a compound of Formula XLII

7346222928

(e) activating the carboxylic acid of Formula XLII and contacting it with an amino compound of the formula XLIII to form a compound of Formula XLIV

(f) removing the amino protecting group of the compound of Formula XLIV and contacting the resulting free amine with an isocyanate having A to from a compound of Formula I

7346222928

Claims 29 through 41 (cancelled)

- (currently amended) A pharmaceutical formulation comprising a compound of 42. claim 1 or 22 admixed with a carrier, diluent, or excipient.
- (new) A pharmaceutical formulation comprising a compound of claim 22 43. admixed with a carrier, diluent, or excipient.